

03630.000300



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)
KEMP, ET AL.) Examiner: S. Ebrahimi
Appl. No.: 10/092,283) Group Art Unit: 2625
Filed: March 7, 2002)
For: CREATING A LOCALLY)
MANAGED INSTANCE OF A)
NETWORK PRINTER)
U.S. Patent No.: 7,253,915 B2)
Issued: August 7, 2007) May 28, 2008

Certificate
JUN 03 2008
of Correction

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF
CORRECTION UNDER RULES 322 AND 323

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

05/30/2008 JADD01
01 FC:1811

00000045 7253915
RECEIVED 100.00 OP
Patent Fee

JUN - 3 2008

Patentees' undersigned attorney may be reached in our Costa Mesa,
California office by telephone at (714) 540-8700. All correspondence should continue to
be directed to our address given below.

Respectfully submitted,



Edward A. Kmett
Attorney for Patentees
Registration No.: 42,746

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
Facsimile: (212) 218-2200

FCHS_WS 1953184v1

Staple
Here
Only!

PRINTERS TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,253,915 B2

DATED : August 7, 2007

INVENTOR(S) : Kemp, et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COVER SHEET:

(56) Insert -- OTHER PUBLICATIONS "Read Me First", Lexis-Nexus® P-2219-1 --.

COLUMN 4:

Line 30, "in" should read -- in a --.

COLUMN 5:

Line 42, "setup" should read -- set up --.

COLUMN 13:

Line 39, "step" should read --steps--;

Line 45, "provide" should read --provides--; and

Line 55, "determining," should read --determining--.

COLUMN 18:

Line 16, "type the" should read -- type of the --.

The correction filed by the applicant are proper,
and would not change the scope of the invention.

/Saeid Ebrahimi Dehkordy/

08/11/2008

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,253,915 B2

Form PTO 1050 (Rev. 3-82)

(Form#30)

FCHS_WS1953094v1

NO additional copies
@ 30¢ per page
Patent Publication

JUN - 3 2008

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,253,915 B2

DATED : August 7, 2007

INVENTOR(S) : Kemp, et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COVER SHEET:

(56) Insert -- OTHER PUBLICATIONS "Read Me First", Lexis-Nexus® P-2219-1 --.

COLUMN 4:

Line 30, "in" should read -- in a --.

COLUMN 5:

Line 42, "setup" should read -- set up --.

COLUMN 13:

Line 39, "step" should read --steps--;

Line 45, "provide" should read --provides--; and

Line 55, "determining," should read --determining--.

COLUMN 18:

Line 16, "type the" should read -- type of the --.

/Saeid Ebrahimi Dehkordy/

08/11/2008

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,253,915 B2

Form PTO 1050 (Rev. 3-82)

(Form#30)

FCHS_WSI953094v1

RECEIVED-USEPTA
No. of add'l copies
@ 30¢ per page

JUN - 3 2008

